

www.aps-group.co.uk

bespoke window
systems created with
intelligent technology

Innovative Systems



Performance Door
AP200 Therm+


aps

aluminium & plastics systems


Flexible innovative solutions High performance systems

APS is a leader in the design and manufacture of architectural aluminium glazing systems for the commercial construction industry. We offer a comprehensive range of systems from curtain walling to window and doors, with an extensive

list of accessories and options. Based in Northern Ireland we extensively distribute throughout the UK and Ireland and we pride ourselves on technical design, developing and delivering an innovative product and service.



Polyamide Range



Performance Door AP200 Therm+

Weather tested
BS6375:PT1 2009

Enhanced Security
BS7950 & PAS24

Type: Extruded aluminium alloy profiles, which incorporates a 24mm polyamide thermal break barrier across the “AP200Therm+” range.

Material: Profiles extruded from aluminium alloy 6063 T6 and T5 to BS EN 12020-2:2001/BS7559:2001

Finish: Polyester powder coated, minimum thickness 60 micros to BS6496

Colour: choose from any colour across the RAL range.

Therm+




Illustration
AP200 Therm+

Performance Door AP200 Therm+

Testing:

Water tightness	600pa
Air permeability	600pa
Water penetration	Zero
Wind resistance	2400pa
Window safety	3600pa


Glass:

System can accommodate 28mm double glazing to 44mm triple glazed for maximum efficiency.

Energy Performance:

The AP200Therm+ is an enhanced insulated polyamide door system, which also compartmentalizes the profile to act as insulated thermal pockets to enhance the door systems thermal efficiency.

Therm+



Windows

Top hung - open out
Bottom Hung - open in
Side hung - open out
Side hung - open in
Tilt and turn
Pivot windows
Lockable cockspur handles
Multi-point espangnolette lockable handles
Tilt and turn gearing and handles
Folding can openers
Electrical actuators

Doors

Multi point locking with Rhino bolts
Emergency exit push bars + external access
Emergency exit touch bar + external access
Heavy duty restrictors
Low rise threshold
Concealed butt hinge or surface 2 part hinge



Sustainability and Commitment

APS takes its environmental responsibility seriously. We believe in reducing our impact and carbon foot print, which applies to our suppliers and our clients. We are accredited with ISO14001 and operate an environmental management system.

Material:
In terms of sustainability, aluminium is one of the best materials available. Its natural strength, lightness and durability makes it the ideal material for meeting architectural glazing requirements.

For our own production, we use recyclable aluminium billet 100% of the time and all production waste is recycled. Our extrusions carry a life expectancy of over 50 years. Significantly higher than other materials and of course, it's 100% recyclable.



www.aps-group.co.uk

bespoke window
systems created with
intelligent technology



25-27 Enterprise Crescent, Ballinderry Road, Lisburn, County Antrim, BT28 2BP
Telephone: 028 9266 0500 Fax: 028 9262 9491